




MMPI®-A R/F
Minnesota Multiphasic Personality Inventory-Adolescent (Restructured Form)
Interpretive Report

Name	XXXXXXXX XXXX
ID Number	17303XX
Email	xxxx@gmail.com
Phone Number	082xxxxxxxx
Date of Birth	xx Mei 19xx
Ages	xx tahun xx bulan
Gender	Laki-laki
Education	xx
Status	xxxxx
Address	Bogor

Date Assessed	18 June 2025
Start	05:49:57 PM
End	07:06:51 PM
Duration	1 jam 16 menit

Profile for Validity Scales



Scale Name	VRIN	TRIN	CRIN	L	F	K
Raw Score	3	1	4	4	1	4
T. Score	52	57(T)	50	61	44	48

Cannot Say (Raw) : 0

MMPI-A R/F T Scores are nongendered.

- VRIN

Variable Response Inconsistency
- TRIN

True Response Inconsistency
- CRIN

Combined Response Inconsistency
- F-r

Infrequent Responses
- L-r

Uncommon Virtues
- K-r

Adjustment Validity

MMPI-A R/F Higher-Order (H-O) and Restructured Clinical (RC) Scales



Scale name	EID	THD	BXD		RCd	RC1	RC2	RC3	RC4	RC6	RC7	RC8	RC9
Raw Score	11	1	4		8	11	3	5	3	1	7	0	2
T Score	50	43	40		52	63	53	48	48	45	57	42	39

MMPI-A R/F T Scores are nongendered.


Higher-order (HO)

- EIDEmotional/Internalizing Dysfunction
- THDTought Dysfunction
- BXDBehavioral/Externalizing Dysfunction

Restructured Clinical (RC)

- RCdDemoralization
- RC1Somatic Complaints
- RC2Low Positive Emotions
- RC4Antisocial Behavior
- RC3Cynism
- RC6Ideal of Persecution
- RC7Dysfunction Negative Emotions
- RC8Aberrant Experiences
- RC9Hypomanic Activation

MMPI-A R/F Somatic/Cognitive and Internalizing Scales



Scale name	MLS	GIC	HPC	NUC	COG		HLP	SFD	NFC	OCS	STW	AXY	ANP	BRF	SPF
Raw Score	4	2	1	2	2		0	2	1	1	5	0	1	1	2
T Score	58	67	51	53	53		36	48	47	47	55	41	43	57	50

MMPI-A R/F T Scores are nongendered.

Somatic/Cognitive

MLS	Malaise
GIC	Gastrointestinal Complaints
HPC	Head Pain Complaints
NUC	Cognitive Complaints
COG	Cognitive Complaints

Internalizing

HLP	Helplessness/Hoplessness	ANY	Anxiety
SFD	Self-Doubt	ANP	Anger Proneness
NFC	Inefficacy	BRF	Behavioral-Restricting Fears
OCS	Obsessive/Compulsions	SPF	Spesific Fears
STW	Stress/Worry		

MMPI-A R/F Externalizing and Interpersonal Scales



Scale name	NSA	ASA	CNP	SUB	NPI	AGG		FML	IPP	SAV	SHY	DSF
Raw Score	2	2	2	0	1	2		4	0	4	6	2
T Score	50	43	52	42	49	45		48	40	60	55	58

MMPI-A R/F T Scores are nongendered.

Externalizing


NSA Negative School Attitudes
CNP Conduct Problems
NPI Negative Peer Influence

ASA Antisocial Attitudes
SUB Substance Abuse
AGG Aggression

Interpersonal

FML Family Problem
IPP Interpersonal Passivity
SAF Social Avoidance
SHY Shyness
DSF Disaffiliativeness

MMPI-A R/F Personality Psychopathology Five (PSY-5) Scales



Scale name	AGGR_r	PSYC_r	DISC_r	NEGE_r	INTR_r
Raw Score	3	0	4	7	7
T Score	41	40	44	51	58

MMPI-A R/F T Scores are nongendered.

PSY-5	
AGGR	Aggressiveness
PSYC	Psychoticism
DISC	Disconstraint
NEGE	Negative Emotionality/Neuroticism
INTR	Introversion/Low Positive Emotionally

MMPI-A R/F T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness	0	50	52	57 (T)
	CNS	CRIN_r	VRIN_r	TRIN
Over Reporting	44			
	F_r			
Under-Reporting	61	48		
	L_r	K_r		

SUBSTANTIVE SCALES

Somatic/Cognitive Dysfunction	63	58	67	51	53	53		
	RC1	MLS	GIC	HPC	NUG	COG		
Emotional Dysfunction	50	52	36	48	47			
	EID	RCd	HLP	SFD	NFC			
		53	58					
		RC2	INTR_r					
		57	47	55	41	43	57	50
		RC7	OCS	STW	AXY	ANP	BRF	SPF
								51
								NEGE_r
Tought Dysfunction	43	45						
	THD	RC6						
		42						
		RC8						
		40						
		PSYC_r						
Behavioral Dysfunction	40	48	50	43	52	42	49	
	BXD	RC4	NSA	ASA	CNP	SUB	NPI	
		39	45	41	44			
		RC9	AGG	AGGR_r	DISC_r			
Interpersonal Dysfunction		48	48	40	60	55	58	
		FML	RC3	IPP	SAV	SHY	DSF	

KESIMPULAN

Hasil Tes **VALID** : Hasil tes dapat digunakan (telah menggambarkan kondisi psikologis saat ini).

HASIL TES

Kondisi kesehatan mental saat ini:

☐ Normal ☒ Ringan ☐ Sedang ☐ Berat

Terdapat gangguan kecil pada satu atau lebih aspek, tetapi tidak menghambat/mengganggu secara signifikan. Ybs mampu menjalankan aktivitas dan menjalin hubungan dengan baik.

Demikian hasil pemeriksaan psikologi ini kami sampaikan dengan sesungguhnya dan untuk dipergunakan sebagaimana mestinya. Setelah 1 (satu) tahun dilakukannya pemeriksaan psikologi ini, dinamika psikologis seseorang cenderung mengalami perubahan, kecuali jika terjadi gangguan pada fungsi otak atau trauma pada otak maka rentang waktu bisa lebih pendek. Apabila ingin mengetahui perubahan dinamika psikologis ybs, maka perlu dilakukan evaluasi psikologis lanjutan.

Jakarta, 18 June 2025

Nirmala Satya Development

Pemeriksa,

Dxxxx xxxxx xxx, xxxx, xxx.xx

No. Izin : xxxxxxxxxxxx

PROTOCOL VALIDITY

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
1	Cannot Say (CNS)				Semua soal terjawab.
2	Combined Response Inconsistency (CRIN)	50	Normal	0	Konsisten dalam memberikan respon.
3	Variable Response Inconsistency (VRIN_r)	52	Normal	0	Peserta tes mampu memahami dan merespons item tes dengan relevan.
4	True Response Inconsistency (TRIN_r)	57	Normal	0	
5	Infrequent Responses (F)	44	Normal	0	Valid
6	Uncommon Virtues (L_r)	61	Normal	0	
7	Adjustment Validity (K_r)	48	Normal	0	

SOMATIC & COGNITIVE DYSFUNCTION

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
8	Somatic Complaints (RC1)	63	Sedang	1	Keluhan somatik yang mungkin mencakup nyeri kepala serta gejala neurologis dan gastrointestinal.
9	Malaise (MLS)	58	Normal	0	
10	Gastrointestinal Complaints (GIC)	67	Sedang	1	Keluhan gastrointestinal yang berada diatas rata-rata.
11	Head Pain Complaints (HPC)	51	Normal	0	
12	Neurological Complaints (NUC)	53	Normal	0	
13	Cognitive Complaints (COG)	53	Normal	0	
Rerata Somatic & Cognitive Dysfunction			Kategori: Ringan	Skor: 0.33	Terdapat beberapa gangguan, seperti keluhan fisik kecil atau kelelahan mental tanpa mengganggu fungsi utama.

EMOTIONAL DYSFUNCTION

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
-----	-------	-------------	-------	-------	-------------

14	Emotional/internalizing Dysfunction (EID)	50	Normal	0
15	Demoralization (DEM) (RCd)	52	Normal	0
16	Helplessness/Hopelessness (HLP)	36	Normal	0
17	Self-Doubt (SFD)	48	Normal	0
18	Inefficacy (NFC)	47	Normal	0
19	Low Positive Emotions (RC2)	53	Normal	0
20	Introversion/Low Positive Emotionality (INTR)	58	Normal	0
21	Dysfunctional Negative Emotions (RC7)	57	Normal	0
22	Obsessions/Compulsions (OCS)	47	Normal	0
23	Stress/Worry (STW)	55	Normal	0
24	Anxiety (AXY)	41	Normal	0
25	Anger Proneness (ANP)	43	Normal	0
26	Behavior-Restricting Fears (BRF)	57	Normal	0
27	Specific Fears (SPF)	50	Normal	0
28	Negative Emotionality/Neuroticism (NEGE)	51	Normal	0

Rerata Emotional Dysfunction

Kategori:
Normal

Skor: **0**

Emosi stabil, mampu mengelola stres dan tekanan dengan baik.

TOUGHT DYSFUNCTION

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
29	Thought Dysfunction (THD)	43	Normal	0	
30	Ideas of Persecution (RC6)	45	Normal	0	
31	Aberrant Experiences (RC8)	42	Normal	0	
32	Psychoticism (PSYC_r)	40	Normal	0	

Rerata Thought Dysfunction

Kategori:
Normal

Skor: **0**

Pikiran jernih, mampu berpikir logis dan rasional tanpa distorsi.

BEHAVIORAL DYSFUNCTION

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
-----	-------	----------	-------	-------	-------------

33	Behavioral/Externalizing Dysfunction (BXD)	40	Normal	0
34	Antisocial Behavior (RC4)	48	Normal	0
35	Negative School Attitudes (NSA)	50	Normal	0
36	Antisocial Attitudes (ASA)	43	Normal	0
37	Conduct Problems (CNP)	52	Normal	0
38	Substance Abuse (SUB)	42	Normal	0
39	Negative Peer Influence (NPI)	49	Normal	0
40	Hypomanic Activation (RC9)	39	Normal	0
41	Aggression (AGG)	45	Normal	0
42	Aggressiveness-Revised (AGGR_r)	41	Normal	0
43	Disconstraint (DISC_r)	44		

Rerata Behavioral Dysfunction

Kategori:
Normal

Skor: **0**

Perilaku seseorang norma, mampu menyesuaikan diri dengan lingkungan.

INTERPERSONAL DYSFUNCTION

No.	SCALE	T. SCORE	LEVEL	VALUE	DESCRIPTION
44	Family Problems (FML)	48	Normal	0	
45	Cynicism (RC3)	48	Normal	0	
46	Interpersonal Passivity (IPP)	40	Normal	0	
47	Social Avoidance (SAV)	60	Sedang	1	Memiliki kebiasaan atau kecenderungan untuk menghindari acara atau situasi sosial tertentu, seperti pesta atau tempat dengan banyak orang (keramaian).
48	Shyness (SHY)	55	Normal	0	
49	Disaffiliativeness (DSF)	58	Normal	0	
Rerata Interpersonal Dysfunction			Kategori: Normal	Skor: 0.17	Hubungan sosial sehat, mampu berinteraksi dengan baik dalam berbagai situasi.

Keterangan :

Value (0*) = Normal / Gejala Ringan (Low Level)

Value (1*) = Gejala Gangguan Sedang (Middle Level)

Value (2*) = Gejala Gangguan Berat (High Level)